

**WEST**

Generate Collection

L10: Entry 4 of 8

File: USPT

Jul 20, 1976

DOCUMENT-IDENTIFIER: US 3970422 A

TITLE: Method of improvement in coloring glass fabrics

## DEPR:

The fabric was then printed with a printing paste comprising 60 parts by weight of a 15 per cent guar gum solution (Maypro Gum NP; trade mark of Mayhall, Inc.), 5 parts by weight of Deorlene Fast Red 2GL and 35 parts by weight of water by means of an autoscreeen printing machine operating at a printing speed of 10 meters per minute, steamed for 20 minutes at 100.degree. C., washed with water and dried. The printed glass fabric was found to have a clear shade and a favorable hand.

**WEST****Freeform Search****Database:**

US Patents Full-Text Database  
JPO Abstracts Database  
EPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

**Term:****Display:**  **Documents in Display Format:**  **Starting with Number** **Generate:** ☐ Hit List ☒ Hit Count ☐ Image

Search

Clear

Help

Logout

Interrupt

Main Menu

Show S Numbers

Edit S Numbers

Preferences

**Search History****Today's Date:** 9/11/2000

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
USPT	19	8	<u>L10</u>
USPT	(11 or 12 or 13) same (14 or 15 or 16 or 17 or 18)	8	<u>L9</u>
USPT	(carboxymethyl or carboxyalkyl or carboxyethyl or carboxypropyl or carboxybutyl) adj cellulose	25393	<u>L8</u>
USPT	carboxymethylcellulose or carboxyalkylcellulose or carboxyethylcellulose or carboxypropylcellulose or carboxybutylcellulose	23433	<u>L7</u>
USPT	(hydroxyalkyl or hydroxymethyl or hydroxypropyl or hydroxyethyl or hydroxybutyl) adj cellulose	18180	<u>L6</u>
USPT	hydroxyalkylcellulose or hydroxymethylcellulose or hydroxypropylcellulose or hydroxyethylcellulose or hydroxybutylcellulose	12051	<u>L5</u>
USPT	gum or pectin or alginate or starch	131752	<u>L4</u>
USPT	(anilan or aniline or astrazon or calcozine or acrylic or crypur or deorlene or maxilon or melacril or sandocryl or synacril) adj4 red	315	<u>L3</u>
USPT	11055	61	<u>L2</u>
USPT	basic adj red adj ("22" or "31")	45	<u>L1</u>

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2000 ACS

RN 12270-28-9 REGISTRY

CN C.I. Basic Red 54 (9CI) (CA INDEX NAME)

OTHER NAMES:

CN **Deorlene Fast Red 2GL**

CN Maxilon Red 2GL

CN Sandocryl Red B 2GLN

MF Unspecified

CI MAN

LC STN Files: CA, CAPLUS, CHEMCATS, CHEMLIST, TOXLIT

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*

4 REFERENCES IN FILE CA (1967 TO DATE)

4 REFERENCES IN FILE CAPLUS (1967 TO DATE)

(FILE 'HOME' ENTERED AT 08:32:03 ON 11 SEP 2000)

FILE 'REGISTRY' ENTERED AT 08:32:37 ON 11 SEP 2000

L1	0	SEA HYDROXYETHYLCELLULOSE/CN
L2	1	SEA HYDROXYETHYL CELLULOSE/CN
L3	1	SEA HYDROXYPROPYL CELLULOSE/CN
L4	2	SEA CARBOXYMETHYL CELLULOSE/CN
L5	1	SEA GUAR GUM/CN
L6	0	SEA SCLEROGLUCAM GUM/CN
L7	0	SEA SCLEROGLUCAN GUM/CN
L8	1	SEA XANTHAN GUM/CN

FILE 'CAPLUS' ENTERED AT 08:34:47 ON 11 SEP 2000

L9	32396	SEA L2 OR L3 OR L4 OR L5 OR L8
L10	131834	SEA GUM OR GUMS OR PECTIN? OR ALGINATE? OR STARCH?
L11	3270	SEA HYDROXYALKYLCELLULOSE? OR HYDROXYMETHYLCELLULOSE? OR HYDROXYETHYLCELLULOSE? OR HYDROXYPROPYLCELLULOSE? OR HYDROXYBUT YLCELLULOSE?
L12	15226	SEA (HYDROXYALKYL OR HYDROXYMETHYL OR HYDROXYETHYL OR HYDROXYPR OPYL OR HYDROXYBUTYL) (5A) CELLULOSE?
L13	3557	SEA CARBOXYALKYLCELLULOSE? OR CARBOXYMETHYLCELLULOSE?
L14	6168	SEA (CARBOXYALKYL OR CARBOXYMETHYL) (A) CELLULOSE?
L15	60363	SEA HAIR? OR KERATIN?
L16	11228	SEA (BASIC OR CATIONIC) (5A) DYE?
L17	288	SEA L15 AND L16
L18	42	SEA L17 AND (L9 OR L10 OR L11 OR L12 OR L13 OR L14)

L18 ANSWER 10 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1999:344834 CAPLUS

DOCUMENT NUMBER: 130:356882

TITLE: Fluidized polymer suspensions of cationic polysaccharides in emollients and use thereof in preparing personal care compositions

INVENTOR(S): Burdick, Charles Lee; Hofman, Hans; Melbouci, Mohand; Debruin, Jacobus Johannes

PATENT ASSIGNEE(S): Hercules Incorporated, USA

SOURCE: PCT Int. Appl., 32 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9925312	A1	19990527	WO 1998-US24531	19981117
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
AU 9914161	A1	19990607	AU 1999-14161	19981117
EP 1032358	A1	20000906	EP 1998-958042	19981117
R:	DE, ES, FR, GB, IT, NL			
US 6113891	A	20000905	US 1998-200350	19981120
PRIORITY APPLN. INFO.:			US 1997-66199	19971119
			WO 1998-US24531	19981117

AB Stable fluidized polymer suspensions contain cationic polysaccharide, stabilizing agent and emollient. The preferred cationic polysaccharides are cationic guar and cationic hydroxypropyl guar, and preferred emollients are hydrocarbons, silicone oils and esters. Processes for prepg. personal care compns. utilizing the fluidized polymer suspensions are also disclosed. Using the fluidized polymer suspensions in the processes provides the advantages of more rapid dissoln. and avoidance of lumps and gels when compared to using dry, powd. cationic polysaccharides.

A fluidized polymer suspension of cationic guar was prepd. by mixing 3.4 parts of Tixogel MP100 clay, 48.2 parts of Marcol 52 CX mineral oil, 0.37 parts of sorbitan trioleate (Montane 85), and 3.03 parts of ethoxylated sorbitan trioleate (Montanox 85), and adding 45 parts of cationic guar (N-Hance 3000). The suspension had a viscosity of 2500 cps and it was used for prepn. of a conditioning shampoo.

REFERENCE COUNT: 5

REFERENCE(S):

- (1) Aqualon Co; EP 0455073 A 1991
- (2) Demasi, D; US 4453979 A 1984 CAPLUS
- (3) Hatfield, J; US 4566977 A 1986
- (4) Pickens, P; US 4312675 A 1982 CAPLUS
- (5) Rhone Poulenc Inc; WO 9746606 A 1997

ST polymer suspension emollient stabilizing agent cosmetic; cationic polysaccharide suspension cosmetic hair prepn

IT Antiperspirants  
Cationic surfactants

Conditioning shampoos  
Cosmetics  
Deodorants  
Emollients  
**Hair conditioners**  
**Hair dyes**  
Nonionic surfactants  
Pigments (nonbiological)  
Shampoos  
Skin creams  
Stabilizing agents  
Sunscreens  
Surfactants  
(fluidized polymer suspensions of **cationic** polysaccharides in emollients for personal care compns.)

IT Anionic polyelectrolytes  
Cationic polyelectrolytes  
(hair styling; fluidized polymer suspensions of cationic polysaccharides in emollients for personal care compns.)

IT **Hair gels**  
(styling; fluidized polymer suspensions of cationic polysaccharides in emollients for personal care compns.)

IT **9000-30-0**, Guar 39421-75-5, Hydroxypropyl guar 39465-11-7, Hydroxyethyl guar  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(cationic; fluidized polymer suspensions of cationic polysaccharides in emollients for personal care compns.)

in

IT 79-10-7D, Acrylic acid, esters, polymers 111-02-4, Squalene 471-34-1, Calcium carbonate, biological studies 7631-86-9, Silica, biological studies 9002-88-4 9003-27-4, Polyisobutene 9004-34-6D, Cellulose, ethers **9004-62-0**, **Hydroxyethyl cellulose** 9005-63-4, Polyoxyethylene sorbitan ester 9005-65-6, Tween 80 9005-70-3, Montanox 85 12441-09-7D, Sorbitan, esters 13397-24-5, Gypsum, biological studies 13463-67-7, Titanium dioxide, biological studies 14807-96-6, Talcum, biological studies 77466-09-2, Miglyol 840

85595-39-7, Claytone 40 200013-91-8, N-Hance 3000 225221-64-7, Tixogel

MP 100 225226-54-0, N-Hance GPX 3196  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)  
(fluidized polymer suspensions of cationic polysaccharides in emollients for personal care compns.)

L18 ANSWER 11 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1999:343664 CAPLUS

DOCUMENT NUMBER: 130:356881

TITLE: Fluidized polymer suspensions of cationic polysaccharides in polyols and use thereof in preparing personal care compositions

INVENTOR(S): Burdick, Charles Lee; Hofman, Hans; Melbouci, Mohand; Debruin, Jacobus Johannes

PATENT ASSIGNEE(S): Hercules Incorporated, USA

SOURCE: PCT Int. Appl., 27 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9925313	A1	19990527	WO 1998-US24888	19981112
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 6093769	A	20000725	US 1997-974189	19971119
AU 9915326	A1	19990607	AU 1999-15326	19981112
EP 1030644	A1	20000830	EP 1998-959546	19981112
R:	DE, ES, FR, GB, IT, NL			
PRIORITY APPLN. INFO.:			US 1997-974189	19971119
			WO 1998-US24888	19981112
AB	Stable fluidized polymer suspensions contg. cationic polysaccharide, stabilizing agent and water-sol. polyol are disclosed. The preferred cationic polysaccharides are cationic guar and cationic hydroxypropyl guar. Processes for prepg. personal care compns. utilizing the fluidized polymer suspensions are also disclosed. Using the fluidized polymer suspensions in the processes provides advantages of more rapid dissoln. and avoidance of lumps and gels when compared to using dry, powd. cationic polysaccharides. A stable fluid dispersion was obtained with a viscosity of 4500 cps by dispersing 1.7 parts of Aerosil 200 silica into 55.8 parts of PEG 400 and adding 42.5 parts of N-Hance 3000 cationic guar gum			
REFERENCE COUNT:	8			
REFERENCE(S):	(1) Akeshi, A; Powdered or granular hand cleansers 1986, 26, CAPLUS			
	(2) Demasi; US 4453979 A 1984 CAPLUS			
	(3) Lion Corp; JP 54135234 A 1979			
	(4) Rhone-Poulenc Chimie; WO 9749376 A 1997			
	(8) Young, T; US 5080717 A 1992 CAPLUS			
	ALL CITATIONS AVAILABLE IN THE RE FORMAT			
AB	Stable fluidized polymer suspensions contg. cationic polysaccharide, stabilizing agent and water-sol. polyol are disclosed. The preferred cationic polysaccharides are cationic guar and cationic hydroxypropyl guar. Processes for prepg. personal care compns. utilizing the fluidized polymer suspensions are also disclosed. Using the fluidized polymer			



suspensions in the processes provides advantages of more rapid dissoln. and avoidance of lumps and gels when compared to using dry, powder.

cationic

polysaccharides. A stable fluid dispersion was obtained with a viscosity of 4500 cps by dispersing 1.7 parts of Aerosil 200 silica into 55.8 parts of PEG 400 and adding 42.5 parts of N-Hance 3000 cationic guar gum

ST polymer suspension cationic polysaccharide polyol cosmetic; hair  
prepn deodorant sunscreen polymer suspension

IT Antiperspirants

Cationic surfactants

Conditioning shampoos

Cosmetics

Deodorants

Hair conditioners

Hair dyes

Nonionic surfactants

Pigments (nonbiological)

Shampoos

Stabilizing agents

Sunscreens

Surfactants

(fluidized polymer suspensions of cationic polysaccharides in polyols for personal care compns.)

IT Anionic polyelectrolytes

Cationic polyelectrolytes

(hair styling; fluidized polymer suspensions of cationic polysaccharides in polyols for personal care compns.)

IT Hair gels

(styling; fluidized polymer suspensions of cationic polysaccharides in polyols for personal care compns.)

IT 9000-30-0, Guar gum 39421-75-5, Hydroxypropyl guar

39465-11-7, Hydroxyethyl guar

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)

(cationic; fluidized polymer suspensions of cationic polysaccharides

in

polyols for personal care compns.)

IT 56-81-5, 1,2,3-Propanetriol, biological studies 57-55-6,

1,2-Propanediol, biological studies 79-10-7D, Acrylic acid, esters,

polymers 107-21-1, 1,2-Ethandiol, biological studies 111-46-6,

Diethylene glycol, biological studies 471-34-1, Calcium carbonate,

biological studies 7631-86-9, Silica, biological studies

9004-32-4 9004-34-6D, Cellulose, ethers 9004-62-0,

Hydroxyethyl cellulose 9004-64-2, Klucel H

13397-24-5, Gypsum, biological studies 13463-67-7, Titanium dioxide,

biological studies 14807-96-6, Talcum, biological studies 25322-68-3

25322-69-4, Polypropylene glycol 71329-50-5, Jaguar C 162 92183-41-0,

Celquat H 100 200013-91-8, N-Hance 3000 225220-64-4, N-Hance 3196

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES

(Uses)

(fluidized polymer suspensions of cationic polysaccharides in polyols for personal care compns.)

L18 ANSWER 12 OF 42 CAPLUS COPYRIGHT 2000 ACS  
 ACCESSION NUMBER: 1999:253715 CAPLUS  
 DOCUMENT NUMBER: 130:329015  
 TITLE: **Hair dyes**  
 INVENTOR(S): Grit, Mustafa; Bistram, Vera  
 PATENT ASSIGNEE(S): Kao Corp., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11106320	A2	19990420	JP 1997-283189	19971001

OTHER SOURCE(S): MARPAT 130:329015

AB **Hair dyes** showing excellent **hair dyeing** and photoresistant effects comprise [a] **cationic direct dyes** 0.0001-2.5, [b] anionic UV absorbents 0.1-5, [c] amine oxide or other surfactants 0.1-10 wt.%. A **hair dye** [color rinse] contained 1,2-propanediol 3.0, cetostearyl alc. 1.25, **hydroxyethyl cellulose** 1.0, silicone oil 0.2, methylparaben 0.2, cetyltrimethylammonium chloride 0.2, dicetyldimethylammonium chloride 0.5, henna exts. 0.5, perfumes 0.5, benzophenone 0.4, lauryldimethylamine oxide 1.00, basic red 76 0.1, basic blue 99 0.01, citric acid and water to 100 parts.

TI **Hair dyes**

AB **Hair dyes** showing excellent **hair dyeing** and photoresistant effects comprise [a] **cationic direct dyes** 0.0001-2.5, [b] anionic UV absorbents 0.1-5, [c] amine oxide or other surfactants 0.1-10 wt.%. A **hair dye** [color rinse] contained 1,2-propanediol 3.0, cetostearyl alc. 1.25, **hydroxyethyl cellulose** 1.0, silicone oil 0.2, methylparaben 0.2, cetyltrimethylammonium chloride 0.2, dicetyldimethylammonium chloride 0.5, henna exts. 0.5, perfumes 0.5, benzophenone 0.4, lauryldimethylamine oxide 1.00, basic red 76 0.1, basic blue 99 0.01, citric acid and water to 100 parts.

ST **hair dye** UV absorbent surfactant

IT Glycosides  
 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses) (C12-14 alkyl poly-; **hair dyes**)

IT Direct **dyes**  
 (**cationic; hair dyes**)

IT **Hair dyes**  
 Surfactants  
 UV stabilizers  
 (**hair dyes**)

IT Amine oxides  
 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses) (**hair dyes**)

IT 112-02-7, Cetyltrimethylammonium chloride 119-61-9, Benzophenone,

biological studies 1643-20-5, Lauryldimethylamine oxide 1812-53-9,  
Dicetyldimethylammonium chloride 2871-01-4, HC red 3 9002-92-0,  
Laureth 26381-41-1, **Basic** brown 16 27306-90-7, 23-13-7,  
**Basic** blue 99 68391-30-0, **Basic** red 76 68391-31-1,  
**Basic** yellow 57 90453-60-4

RL: BUU (Biological use, unclassified); PEP (Physical, engineering or  
chemical process); BIOL (Biological study); PROC (Process); USES (Uses)  
(hair dyes)

L18 ANSWER 19 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1999:224520 CAPLUS

DOCUMENT NUMBER: 130:316423

TITLE: Permanent or semipermanent **hair** dyes

INVENTOR(S): Grit, Mustaha; Mehring, Hartmut

PATENT ASSIGNEE(S): Kao Corp., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	---	-----	-----	-----
	JP 11092348	A2	19990406	JP 1997-261598	19970926
OTHER SOURCE(S):	MARPAT 130:316423				
AB	Permanent or semipermanent <b>hair</b> dyes having <b>hair</b> -conditioning effects comprise [a] <b>cationic</b> direct <b>dyes</b> 0.0001-2.5 and [b] .gtoreq.1 cationic plant protein hydrolyzates and/or quaternary ammonium compds. 0.1-10 wt.%. A <b>hair</b> dye contained 1,2-propanediol 3.0, cetyl stearyl ether 1.25, <b>hydroxyethylcellulose</b> 1.0, silicone oil 0.2, methylparaben 0.2, dicetyldimethylammonium chloride 0.5, nut exts. 1.0, chamomile exts. 1.0, perfumes 0.5, benzophenone-4 0.6, gluadin TM 1.0, basic red 2 0.2, citric acid and water to 100 wt.%.				
TI	Permanent or semipermanent <b>hair</b> dyes				
AB	Permanent or semipermanent <b>hair</b> dyes having <b>hair</b> -conditioning effects comprise [a] <b>cationic</b> direct <b>dyes</b> 0.0001-2.5 and [b] .gtoreq.1 cationic plant protein hydrolyzates and/or quaternary ammonium compds. 0.1-10 wt.%. A <b>hair</b> dye contained 1,2-propanediol 3.0, cetyl stearyl ether 1.25, <b>hydroxyethylcellulose</b> 1.0, silicone oil 0.2, methylparaben 0.2, dicetyldimethylammonium chloride 0.5, nut exts. 1.0, chamomile exts. 1.0, perfumes 0.5, benzophenone-4 0.6, gluadin TM 1.0, basic red 2 0.2, citric acid and water to 100 wt.%.				
ST	<b>hair</b> dye <b>cationic</b> plant protein hydrolyzate				
IT	Protein hydrolyzates RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses) (Gluadin TM; permanent or semipermanent <b>hair</b> dyes)				
IT	Protein hydrolyzates RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses) ( <b>cationic</b> plant; permanent or semipermanent <b>hair</b> <b>dyes</b> )				
IT	Direct <b>dyes</b> ( <b>cationic</b> ; permanent or semipermanent <b>hair</b> <b>dyes</b> )				
IT	<b>Hair</b> dyes (permanent or semipermanent <b>hair</b> dyes)				
IT	Quaternary ammonium compounds, biological studies RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses) (permanent or semipermanent <b>hair</b> dyes)				
IT	477-73-6, Basic red 2 39393-38-9, C.I. Basic Red 16 141890-30-4 RL: BUU (Biological use, unclassified); PEP (Physical, engineering or chemical process); BIOL (Biological study); PROC (Process); USES (Uses)				

L18 ANSWER 20 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1999:147852 CAPLUS

DOCUMENT NUMBER: 130:186992

TITLE: Compounds for coloring and tinting of human hair

INVENTOR(S): Lorenz, Heribert; Wagner, Helmar R.; Kawamata, Akira

PATENT ASSIGNEE(S): Goldwell G.m.b.H., Germany

SOURCE: Ger. Offen., 8 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19735851	A1	19990225	DE 1997-19735851	19970819

OTHER SOURCE(S): MARPAT 130:186992

AB Hair dye compns. contg. .gtoreq.1 cationic direct dye and .gtoreq.1 fatty amide  
 $R1C(O)N[(CH_2)NOH]2CH(OH)CH_2OR_2$  (I;  $R_1, R_2 = C_{10-22}$  alkyl or alkenyl;  $n = 1-3$ ) show both good hair-coloring and good hair-conditioning activity. Thus, a tinting conditioner was prepd. contg. 1,2-propanediol 3.00, cetostearyl alc. 1.25, hydroxyethylcellulose 1.00, silicone oil 0.20, methylparaben 0.20, cetyltrimethylammonium chloride 0.20, dicetyldimethylammonium chloride 0.50, henna ext. 0.50, perfume 0.50, benzophenone-4 0.40, lauryldimethylamine oxide 1.00, I ( $R_1 = C_{16}H_{23}$ ,  $R_2 = C_{15}H_{31}$ ,  $n = 2$ ) (II) nanoemulsion (contg. lecithin 5.0, II 4.0, glycerin 8.0, Avocadin 8.0, EtOH 10.0, diisopropyl adipate 2.5, and  $H_2O$  to 100.0 wt.%) 0.50, Basic Red 76 0.10, basic blue 0.01, citric acid, and  $H_2O$  to 100.00 wt.%.

TI Compounds for coloring and tinting of human hair

AB Hair dye compns. contg. .gtoreq.1 cationic direct dye and .gtoreq.1 fatty amide  
 $R1C(O)N[(CH_2)NOH]2CH(OH)CH_2OR_2$  (I;  $R_1, R_2 = C_{10-22}$  alkyl or alkenyl;  $n = 1-3$ ) show both good hair-coloring and good hair-conditioning activity. Thus, a tinting conditioner was prepd. contg. 1,2-propanediol 3.00, cetostearyl alc. 1.25, hydroxyethylcellulose 1.00, silicone oil 0.20, methylparaben 0.20, cetyltrimethylammonium chloride 0.20, dicetyldimethylammonium chloride 0.50, henna ext. 0.50, perfume 0.50, benzophenone-4 0.40, lauryldimethylamine oxide 1.00, I ( $R_1 =$

$C_{16}H_{23}$ ,  $R_2 = C_{15}H_{31}$ ,  $n = 2$ ) (II) nanoemulsion (contg. lecithin 5.0, II 4.0, glycerin 8.0, Avocadin 8.0, EtOH 10.0, diisopropyl adipate 2.5, and  $H_2O$  to 100.0 wt.%) 0.50, Basic Red 76 0.10, basic blue 0.01, citric acid, and  $H_2O$  to 100.00 wt.%.

ST hair tint conditioner fatty amide; dye hair conditioner fatty amide

IT Hair conditioners

Hair dyes

(compds. for coloring and tinting of human hair)

IT Fatty amides

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(compds. for coloring and tinting of human hair)

IT 220656-43-9

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES

(Uses)

(compds. for coloring and tinting of human hair)

L18 ANSWER 21 OF 42 CAPLUS COPYRIGHT 2000 ACS  
 ACCESSION NUMBER: 1998:693025 CAPLUS  
 DOCUMENT NUMBER: 130:17080  
 TITLE: Semi-permanent **hair** dyes  
 INVENTOR(S): Kojima, Atsushi  
 PATENT ASSIGNEE(S): Hoyu K. K., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 5 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 10287535	A2	19981027	JP 1997-113500	19970414
AB	Semi-permanent <b>hair</b> dyes showing appropriate <b>hair</b> dying and conditioning effects contain: [a] arom alcs., [b] cationic compds., [c] water-sol. anionic polymers, [d] direct dyes and [e] carboxylic acids.				
TI	Semi-permanent <b>hair</b> dyes				
AB	Semi-permanent <b>hair</b> dyes showing appropriate <b>hair</b> dying and conditioning effects contain: [a] arom alcs., [b] cationic compds., [c] water-sol. anionic polymers, [d] direct dyes and [e] carboxylic acids.				
ST	semipermanent <b>hair dye</b> alc cationic compd; anionic compd semipermanent <b>hair dye</b>				
IT	Cationic polyelectrolytes Direct dyes Hair dyes (semipermanent <b>hair dyes</b> )				
IT	Acrylic polymers, biological studies Aralkyl alcohols Carboxylic acids, biological studies RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (semipermanent <b>hair dyes</b> )				
IT	Anionic polyelectrolytes (water-sol.; semipermanent <b>hair dyes</b> )				
IT	9004-34-6D, Cellulose, derivs. RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (cationic; semipermanent <b>hair dyes</b> )				
IT	50-21-5, Lactic acid, biological studies 100-51-6, Benzenemethanol, biological studies 112-03-8, Stearyltrimethylammonium chloride 633-96-5, Japan orange 205 7398-69-8, Dimethyldiallylammonium chloride 9003-04-7, Polyacrylic acid sodium salt 9004-32-4 9004-62-0, Hydroxyethyl cellulose 25549-84-2, Polyacrylic acid sodium salt 92183-41-0 142905-80-4 RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses) (semipermanent <b>hair dyes</b> )				

L18 ANSWER 40 OF 42 CAPLUS COPYRIGHT 2000 ACS  
 ACCESSION NUMBER: 1987:561365 CAPLUS  
 DOCUMENT NUMBER: 107:161365  
 TITLE: **Hair** dye compositions  
 INVENTOR(S): Houielleriebecq, Terry Francis; Day, Martin Edwin;  
 Wilkins, Anne Lilian  
 PATENT ASSIGNEE(S): Beecham Group PLC, UK  
 SOURCE: Brit. UK Pat. Appl., 7 pp.  
 CODEN: BAXXDU  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
GB 2173515	A1	19861015	GB 1985-9409	19850412
GB 2173515	B2	19890118		

AB **Hair** dyes are comprised of a direct **dye**, a cationic siloxane surfactant, a hydroxy-contg. siloxane, and a liq. vehicle. The compns. provide increased color retention to the **hair**. Direct dyes (present at 0.01-10 wt. % concn.) are chosen from anthraquinone, azo, nitro, **basic**, triarylmethane, or disperse **dyes**. Cationic siloxanes are chosen from aminosiloxanes of formula  $XSiMe_2O(SiMe_2O)_m[YSi(RNH(CH_2)_2NH_2)]_nSiMe_2X$  (X,

Y

= OH or Cl-6-alkyl, preferably Me; R = Cl-8-alkylene; m, n = 1-100) and quaternary ammonium siloxanes of formula

$XSiMe_2O(SiMe_2O)_m[MeSi((CH_2)_3OCH_2C$

HOHCH<sub>2</sub>NMe<sub>2</sub>R<sub>1</sub>.A)O]<sub>n</sub>SiMe<sub>2</sub>X (X, Y are defined above, R<sub>1</sub> = long-chain alkyl; m, n = 1-100; A = Cl, Br, or I). The compns. can contain 0.1-5 wt. % of an addnl. surfactant. An aq. **hair** dye was prepd. contg. perfume, preservatives, hydroxypropyl guar **gum** 0.7, amodimethicone-Tallotrimonium chloride (a quaternary ammonium siloxane)-Nonoxynol 10 1.0, Dow Corning DF 11884 (hydroxy-contg.

siloxane)

0.5, cetyl alc. 1.5, glycerin 4.5, N-(2-hydroxyethyl)-2-nitro-p-phenylenediamine 0.4, and 4-nitro-o-phenylenediamine 0.2 wt. %. **Hair** washed several times over several days with the above compn. retained more color than **hair** washed with the above compn. but not contg. the hydroxy silicone.

TI **Hair** dye compositions

AB **Hair** dyes are comprised of a direct **dye**, a cationic siloxane surfactant, a hydroxy-contg. siloxane, and a liq. vehicle. The compns. provide increased color retention to the **hair**. Direct dyes (present at 0.01-10 wt. % concn.) are chosen from anthraquinone, azo, nitro, **basic**, triarylmethane, or disperse **dyes**. Cationic siloxanes are chosen from aminosiloxanes of formula  $XSiMe_2O(SiMe_2O)_m[YSi(RNH(CH_2)_2NH_2)]_nSiMe_2X$  (X,

Y

= OH or Cl-6-alkyl, preferably Me; R = Cl-8-alkylene; m, n = 1-100) and quaternary ammonium siloxanes of formula

$XSiMe_2O(SiMe_2O)_m[MeSi((CH_2)_3OCH_2C$

HOHCH<sub>2</sub>NMe<sub>2</sub>R<sub>1</sub>.A)O]<sub>n</sub>SiMe<sub>2</sub>X (X, Y are defined above, R<sub>1</sub> = long-chain alkyl; m, n = 1-100; A = Cl, Br, or I). The compns. can contain 0.1-5 wt. % of an addnl. surfactant. An aq. **hair** dye was prepd. contg. perfume, preservatives, hydroxypropyl guar **gum** 0.7, amodimethicone-Tallotrimonium chloride (a quaternary ammonium



siloxane)-Nonoxynol 10 1.0, Dow Corning DF 11884 (hydroxy-contg. siloxane)  
0.5, cetyl alc. 1.5, glycerin 4.5, N-(2-hydroxyethyl)-2-nitro-p-phenylenediamine 0.4, and 4-nitro-o-phenylenediamine 0.2 wt. %.  
**Hair** washed several times over several days with the above compn. retained more color than **hair** washed with the above compn. but not contg. the hydroxy silicone.

ST siloxane **hair** dye color retention; hydroxy siloxane **hair** dye; amino siloxane **hair** dye; quaternary ammonium siloxane **hair** dye

IT Siloxanes and Silicones, compounds  
RL: BIOL (Biological study)  
((aminoethyl)aminopropyl hydroxy, di-Me, **hair** dyes contg.)

IT Quaternary ammonium compounds, biological studies  
RL: BIOL (Biological study)  
(alkyltrimethyl, tallow, chlorides, siloxanes contg., **hair** dyes contg.)

IT Siloxanes and Silicones, biological studies  
RL: BIOL (Biological study)  
(amino-contg., **hair** dyes)

IT **Hair** preparations  
(dyes, amino- and hydroxy-functionalized siloxanes as, for enhancing color fastness)

IT Siloxanes and Silicones, biological studies  
RL: BIOL (Biological study)  
(hydroxy, **hair** dyes contg.)

L18 ANSWER 35 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1990:465058 CAPLUS

DOCUMENT NUMBER: 113:65058

TITLE: **Hair dyes** comprising  
**cationic** compounds and ethoxylated fatty  
alcohols

INVENTOR(S): Doerfel, Klaus; Guenther, Herbert; Raduechel,  
Manfred;

Patent Assignee: Rieger, Christa; Theusner, Maria

PATENT ASSIGNEE(S): VEB Chemisches Werk Miltitz, Ger. Dem. Rep.

SOURCE: Ger. (East), 4 pp.

CODEN: GEXXA8

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	DD 271219	A3	19890830	DD 1987-306712	19870907
AB	Liq., gel, or emulsion <b>hair dyes</b> comprise water-sol. <b>cationic</b> surfactants and/or <b>cationic</b> polymers, <b>cationic dyes</b> , highly-ethoxylated fatty alcs., and fatty acid di- and/or polydiethanolamides. A <b>hair dye</b> comprised <b>Basic Brown-17</b> 0.020, <b>Basic Red-76</b> 0.013, <b>Basic</b> <b>Blue-99</b> 0.100, <b>hydroxyethyl cellulose</b> 0.100, <b>PEG 15</b> tallow polyamide 2.300, Polyquaternium-6 0.300, lauric acid diethanolamide 1.300, ethoxylated stearyl alc. 14.000, 1,2-propylene glycol 5.00, and water to 100.00 g.				
TI	<b>Hair dyes</b> comprising <b>cationic</b> compounds and ethoxylated fatty alcohols				
AB	Liq., gel, or emulsion <b>hair dyes</b> comprise water-sol. <b>cationic</b> surfactants and/or <b>cationic</b> polymers, <b>cationic dyes</b> , highly-ethoxylated fatty alcs., and fatty acid di- and/or polydiethanolamides. A <b>hair dye</b> comprised <b>Basic Brown-17</b> 0.020, <b>Basic Red-76</b> 0.013, <b>Basic</b> <b>Blue-99</b> 0.100, <b>hydroxyethyl cellulose</b> 0.100, <b>PEG 15</b> tallow polyamide 2.300, Polyquaternium-6 0.300, lauric acid diethanolamide 1.300, ethoxylated stearyl alc. 14.000, 1,2-propylene glycol 5.00, and water to 100.00 g.				
ST	<b>hair cationic dye</b> surfactant polymer; ethoxylated fatty alc <b>hair dye</b>				
IT	Surfactants ( <b>cationic, hair dyes</b> contg.)				
IT	Amides, biological studies RL: BIOL (Biological study) (coco, N,N-bis(hydroxyethyl), <b>hair dyes</b> contg.)				
IT	<b>Hair</b> preparations (dyes, surfactants for)				
IT	Alcohols, compounds RL: BIOL (Biological study) (fatty, ethoxylated, <b>hair dyes</b> contg.)				
IT	Amides, biological studies RL: BIOL (Biological study) (fatty, N-(hydroxyethyl), <b>hair dyes</b> contg.)				
IT	Amides, compounds				

RL: BIOL (Biological study)

(poly-, tallow, ethoxylated, **hair** dyes contg.)  
IT 93-82-3, Stearic acid diethanolamide 107-64-2 12-10-1 9005-00-9,  
Ethoxylated stearyl alcohol 18684-11-2, Stearyl trimethylammonium  
methysulfate 26062-79-3, Polyquaternium-6 68123-13-7, **Basic**  
Blue 99 68391-30-0, **Basic** red 76 68391-31-1, **Basic**  
yellow 57 128482-55-3, Disteareth-6 Dimonium Chloride 176742-32-8,  
**Basic** brown 17

RL: BIOL (Biological study)

(**hair dyes** contg.)

L18 ANSWER 29 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1996:369791 CAPLUS

DOCUMENT NUMBER: 125:41426

TITLE: **Hair coloring shampoo compositions**  
containing polyoxyethylene alkyl ether-type nonionic  
surfactants

INVENTOR(S): Sakuma, Risa; Yahagi, Kazuyuki

PATENT ASSIGNEE(S): Kao Corporation, Japan

SOURCE: Eur. Pat. Appl., 14 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 711542	A1	19960515	EP 1995-116559	19951020
R: DE, FR, GB				
JP 08119838	A2	19960514	JP 1994-255044	19941020
PRIORITY APPLN. INFO.:			JP 1994-255044	19941020

OTHER SOURCE(S): MARPAT 125:41426

AB A coloring shampoo compn. comprises (A) 5 to 50% by wt. of a polyoxyethylene alkyl ether-type nonionic surfactant  $R1O(CH_2CH_2O)_nH$  ( $R1 = C_{10-20}$  alkyl or alkenyl;  $n = 11-30$ ); and (B) 0.01 to 10% by wt. of a **basic dye**. The coloring shampoo compn. exhibits an intense and long-lasting hair-dyeing effect and an excellent detergency. It also causes little irritation and imparts a good touch to the hair without giving any squeak feel during shampooing. A shampoo contained polyoxyethylene-(15)-lauryl ether 10.00, laurylhydroxysulfobetaine 1.00, alkylglucoside 2.00, decanoic acid monoglyceride 3.00, cationized cellulose 0.30, hydroxyethyl cellulose 0.10, silicone emulsion 1.00, **basic dye** Red no 76 0.08, **basic dye** Blue no 99 0.01, **basic dye** Yellow no 57 0.01, pH regulator q.s., perfume q.s., and water q.s. 100.0%.

TI Hair coloring shampoo compositions containing polyoxyethylene alkyl ether-type nonionic surfactants

AB A coloring shampoo compn. comprises (A) 5 to 50% by wt. of a polyoxyethylene alkyl ether-type nonionic surfactant  $R1O(CH_2CH_2O)_nH$  ( $R1 = C_{10-20}$  alkyl or alkenyl;  $n = 11-30$ ); and (B) 0.01 to 10% by wt. of a **basic dye**. The coloring shampoo compn. exhibits an intense and long-lasting hair-dyeing effect and an excellent detergency. It also causes little irritation and imparts a good touch to the hair without giving any squeak feel during shampooing. A shampoo contained polyoxyethylene-(15)-lauryl ether 10.00, laurylhydroxysulfobetaine 1.00, alkylglucoside 2.00, decanoic acid monoglyceride 3.00, cationized cellulose 0.30, hydroxyethyl cellulose 0.10, silicone emulsion 1.00, **basic dye** Red no 76 0.08, **basic dye** Blue no 99 0.01, **basic dye** Yellow no 57 0.01, pH regulator q.s., perfume q.s., and water q.s. 100.0%.

ST hair coloring shampoo polyoxyethylene nonionic surfactant

IT Betaines

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)

(carbo-; hair coloring shampoo compns. contg. polyoxyethylene alkyl ether-type nonionic surfactants)

IT Amides, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(N,N-bis(hydroxyalkyl), hair coloring shampoo compns. contg.  
polyoxyethylene alkyl ether-type nonionic surfactants)

IT Amines, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(alkyldimethyl, N-oxides, hair coloring shampoo compns.  
contg. polyoxyethylene alkyl ether-type nonionic surfactants)

IT Oligosaccharides  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(di-, alkyl-, hair coloring shampoo compns. contg.  
polyoxyethylene alkyl ether-type nonionic surfactants)

IT Hair preparations  
(dyes, hair coloring shampoo compns. contg. polyoxyethylene  
alkyl ether-type nonionic surfactants)

IT Glycerides, biological studies  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(mono-, hair coloring shampoo compns. contg. polyoxyethylene  
alkyl ether-type nonionic surfactants)

IT Surfactants  
(nonionic, hair coloring shampoo compns. contg.  
polyoxyethylene alkyl ether-type nonionic surfactants)

IT Betaines  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(sulfo-, laurylhydroxy; hair coloring shampoo compns. contg.  
polyoxyethylene alkyl ether-type nonionic surfactants)

IT 9002-92-0, Polyoxyethylene lauryl ether 26402-22-2, Decanoic acid  
monoglyceride  
RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)  
(hair coloring shampoo compns. contg. polyoxyethylene alkyl  
ether-type nonionic surfactants)

L18 ANSWER 26 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1997:211140 CAPLUS

DOCUMENT NUMBER: 126:203553

TITLE: Composition for dyeing of human hair  
comprising hydroxy C2-4 alkyl guar gum

INVENTOR(S): Misu, Daisuke

PATENT ASSIGNEE(S): Kao Corporation, Japan

SOURCE: Eur. Pat. Appl., 5 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 756861	A2	19970205	EP 1996-112012	19960725
EP 756861	A3	19990616		
R: DE, FR, GB, NL				
DE 19527978	A1	19970206	DE 1995-19527978	19950731
DE 19527978	C2	19980820		
JP 09100223	A2	19970415	JP 1996-200184	19960730
PRIORITY APPLN. INFO.:			DE 1995-19527978	19950731
AB	The dyeing effect, i.e. the color absorption, and the stability of a compn. for dyeing of human hair comprising at least one direct dyestuff in an aq. or aq.-alc. medium are considerably improved by the addn. of 0.1% to 7.5% by wt., calcd. to the total compn., of at least one hydroxy C2-4 alkyl guar gum or the quaternary salts thereof, particularly from 0.25% to 2.5% by wt. of hydroxypropyl guar gum (I). A hair dye compn. contained I 1.00, Polyquaternium 7, 0.80, cocamidopropyl betaine 1.00, dimethicone copolyol 0.10, ethanol 5.00, perfume 0.20, Basic Blue-99 0.066, Basic Brown-17 0.050, Disperse Black-9 0.004, Disperse Blue-3 0.015, HC Red No.-3 0.060, and water q.s. 100.00.			
TI	Composition for dyeing of human hair comprising hydroxy C2-4 alkyl guar gum			
AB	The dyeing effect, i.e. the color absorption, and the stability of a compn. for dyeing of human hair comprising at least one direct dyestuff in an aq. or aq.-alc. medium are considerably improved by the addn. of 0.1% to 7.5% by wt., calcd. to the total compn., of at least one hydroxy C2-4 alkyl guar gum or the quaternary salts thereof, particularly from 0.25% to 2.5% by wt. of hydroxypropyl guar gum (I). A hair dye compn. contained I 1.00, Polyquaternium 7, 0.80, cocamidopropyl betaine 1.00, dimethicone copolyol 0.10, ethanol 5.00, perfume 0.20, Basic Blue-99 0.066, Basic Brown-17 0.050, Disperse Black-9 0.004, Disperse Blue-3 0.015, HC Red No.-3 0.060, and water q.s. 100.00.			
ST	hair dye hydroxyalkyl guar gum			
IT	Cationic dyes			
	Direct dyes			
	Hair dyes			
	(compn. for dyeing of human hair comprising hydroxy C2-4 alkyl guar gum)			
IT	2475-46-9, Disperse blue 3 2871-01-4, Hc red no 3 9000-30-0D, Guar gum, hydroxy C2-4 alkyl derivs. 26381-41-9, Basic brown 16 39421-75-5, Hydroxypropyl guar gum 65497-29-2 68123-13-7, Basic blue 99 68391-30-0, Basic red 76 68391-31-1, Basic yellow 57 176742-32-8, Basic brown			

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)

(compn. for **dyeing** of human **hair** comprising hydroxy  
C2-4 alkyl guar **gum**)

L18 ANSWER 22 OF 42 CAPLUS COPYRIGHT 2000 ACS

ACCESSION NUMBER: 1998:176141 CAPLUS

DOCUMENT NUMBER: 128:208778

TITLE: Cationic agent for coloring human hair

INVENTOR(S): Grit, Mustafa; Moehring, Hartmut

PATENT ASSIGNEE(S): Kao Corp., Japan

SOURCE: Ger., 6 pp.

CODEN: GWXXAW

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 19640831	C1	19980305	DE 1996-19640831	19961002
EP 834303	A2	19980408	EP 1997-116359	19970919
EP 834303	A3	19980819		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI

PRIORITY APPLN. INFO.:

DE 1996-19640792 19961002

DE 1996-19640831 19961002

OTHER SOURCE(S): MARPAT 128:208778

AB A hair dye compn. with excellent coloring capacity and conditioning activity contains (a) a **cationic direct dye** 0.0001-2.5 and (b) a cationically derivatized plant protein hydrolyzate

or

quaternary ammonium compd.  $\text{RCONHCH}_2\text{CH}_2\text{N}(\text{CH}_2\text{CH}_2\text{OH})\text{CH}_2\text{CH}(\text{OH})\text{CH}_2\text{N}+\text{Me}_3 \text{X}^-$  [I; R = C8-20 alk(en)yl; X<sup>-</sup> = anion]. Thus, a dye compn. contg. 1,2-propanediol 3.00, cetyl stearyl alc. 1.25, **hydroxyethylcellulose** 1.00, silicone oil 0.20, methylparaben 0.20, cetyltrimethylammonium chloride 0.20, dicetyldimethylammonium chloride 0.50, henna ext. 1.00, chamomile ext. 1.00, perfume 0.50, benzophenone-4 0.60, I (R = C13H27, X = Cl), Basic Red 2, citric acid (to adjust pH),

and

water to 100.00 parts conferred a dark red color.

TI Cationic agent for coloring human hair

AB A hair dye compn. with excellent coloring capacity and conditioning activity contains (a) a **cationic direct dye** 0.0001-2.5 and (b) a cationically derivatized plant protein hydrolyzate

or

quaternary ammonium compd.  $\text{RCONHCH}_2\text{CH}_2\text{N}(\text{CH}_2\text{CH}_2\text{OH})\text{CH}_2\text{CH}(\text{OH})\text{CH}_2\text{N}+\text{Me}_3 \text{X}^-$  [I; R = C8-20 alk(en)yl; X<sup>-</sup> = anion]. Thus, a dye compn. contg. 1,2-propanediol 3.00, cetyl stearyl alc. 1.25, **hydroxyethylcellulose** 1.00, silicone oil 0.20, methylparaben 0.20, cetyltrimethylammonium chloride 0.20, dicetyldimethylammonium chloride 0.50, henna ext. 1.00, chamomile ext. 1.00, perfume 0.50, benzophenone-4 0.60, I (R = C13H27, X = Cl), Basic Red 2, citric acid (to adjust pH),

and

water to 100.00 parts conferred a dark red color.

ST quaternary ammonium hair direct dye

IT Plant (Embryophyta)

Wheat

(cationic protein hydrolyzates from; cationic agent for coloring human hair)

IT Protein hydrolyzates

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES (Uses)



(cationic, from plants; cationic agent for coloring human hair  
)

IT Hair dyes

(direct, cationic; cationic agent for coloring  
human hair)

IT 51855-80-2 188571-05-3, Gluadin WQ

RL: BUU (Biological use, unclassified); BIOL (Biological study); USES  
(Uses)

(cationic agent for coloring human hair)